

1.....





Figure 1

CONTRACTOR (1000)




·)




...

WB for:

SHC






TONTIO" ZGOOS860



T041190 - 26008860




PTN (ng/ml)




)

BEST AVAILABLE COPY




. . :





La desta desta

BEST AVAILABLE COPY

Figure 5







and the second and the second s



.

3


÷

GAPDH probe ALK probe В pRC/CMV Α Rz2-10 Rz1-2 Rz2-2 Rz2-3 Rz2-9 tRNA Rz1-7 relative ALK/GAPDH 1 0.8 < ALK 0.6 0.4 0.2 < GAPDH 0 Rz 1-2-Rz 2-2 -Rz 2-3 -Rz 2-9 -Rz 2-10 -Rz 1-7 pRC/CMV Ε С D fraction of induced phosphoAkt/Akt phosphoAkt/Akt 6 4 1.2 phosphoAkt/Akt 12-2 PDGE 3.5 5 3-4 0.8 12-3 pleiotrophin 2.5 ctrl 3 0.6 2. 0.4 2 12-2 1.5 0.2 1 0 0.2 0.4 0.6 0.8 1 pleiotrophin ng/ml 0 10 20 30 40 PDGF BB ng/ml 0 0.2 0.4 0.6 0.8 1 relative ALK/GAPDH

BEST AVAILABLE COPY

Figure 7







27222224060666666666666666



Ċ





7

BEST AVAILABLE COPY



TOHT90 - Zéoo8860